

Division of Licensing and Protection

HC 2 South, 280 State Drive

Waterbury VT 05671-2060

<http://www.dail.vermont.gov>

Survey and Certification Voice/TTY (802) 241-0480

To Report Adult Abuse: (800) 564-1612

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line: (888) 700-5330

June 29, 2017


Beth Peer, Manager  
Our House Too Residential Care Home  
69 1/2 Allen Street  
Rutland, VT 05701-4501

Dear Ms. Peer:

The Division of Licensing and Protection completed a complaint investigation at your facility on **June 26, 2017**. The purpose of the investigation was to determine if your facility was in compliance with Residential Care Home Licensing Regulations. There were no regulatory violations as a result of this investigation.

If you have any questions regarding this report, please feel free to contact this office at (802) 241-0480.

Sincerely,



Pamela Cota, RN  
Licensing Chief



Division of Licensing and Protection

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>0377</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING: _____	(X3) DATE SURVEY COMPLETED  <b>C</b> <b>06/26/2017</b>
-----------------------------------------------------	--------------------------------------------------------------------------	------------------------------------------------------------------------	--------------------------------------------------------------------

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

**OUR HOUSE TOO RESIDENTIAL CARE HOME**

**69 1/2 ALLEN STREET  
RUTLAND, VT 05701**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
R100	Initial Comments:  An on-site anonymous complaint investigation was conducted by the Division of Licensing and Protection on 6/26/17. There were no regulatory findings.	R100		

Division of Licensing and Protection

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE